

# Publikationen von Dr. Ellen Leich (2017-2006)

## Originalarbeiten als Erst- oder Letzt-Autor

- Zamò A, Pischmarov J, Schlesner M, Rosenstiel P, Bomben R, Horn H, Grieb T, Nedeva T, López C, Haake A, Richter J, Trümper L, Lawerenz C, Klapper W, Möller P, Hummel M, Lenze D, Szczepanowski M, Flossbach L, Schreder M, Gattei V, Ott G, Siebert R, Rosenwald A, **Leich E**.  
Differences between BCL2-break positive and negative follicular lymphoma unraveled by whole-exome sequencing.  
Leukemia. 2017 Aug 21. doi: 10.1038/leu.2017.270. [Epub ahead of print]
- Keppler S, Weißbach S, Langer C, Knop S, Pischmarov J, Kull M, Stühmer T, Steinbrunn T, Bargou R, Einsele H, Rosenwald A, **Leich E**  
Rare SNPs in receptor tyrosine kinases are negative outcome predictors in multiple myeloma.  
Oncotarget. 2016 Jun 21;7(25):38762-38774. doi: 10.18632/oncotarget.9607.
- **Leich E**, Hoster E, Wartenberg M, Unterhalt M, Siebert R, Koch K, Klapper W, Engelhard M, Puppe B, Horn H, Staiger AM, Stuhlmann-Laeisz C, Bernd HW, Feller AC, Hummel M, Lenze D, Stein H, Hartmann S, Hansmann ML, Möller P, Hiddemann W, Dreyling M, Ott G, Rosenwald A.  
Similar clinical features in follicular lymphomas with and without breaks in the BCL2 locus.  
Leukemia. 2016 Apr;30(4):854-60. doi: 10.1038/leu.2015.330. Epub 2015 Dec 1.
- Weißbach S, Langer C, Puppe B, Nedeva T, Bach E, Kull M, Bargou R, Einsele H, Rosenwald A, Knop S, **Leich E**.  
The molecular spectrum and clinical impact of DIS3 mutations in multiple myeloma.  
Br J Haematol. 2015 Apr;169(1):57-70. doi: 10.1111/bjh.13256. Epub 2014 Dec 17.
- **Leich E**, Weißbach S, Klein HU, Grieb T, Pischmarov J, Stühmer T, Chatterjee M, Steinbrunn T, Langer C, Eilers M, Knop S, Einsele H, Bargou R, Rosenwald A.

Multiple myeloma is affected by multiple and heterogeneous somatic mutations in adhesion- and receptor tyrosine kinase signaling molecules.

Blood Cancer J. 2013 Feb 8;3:e102. doi: 10.1038/bcj.2012.47.

- Richter J, Schlesner M, Hoffmann S, Kreuz M, **Leich E (Co-first author)**, Burkhardt B, Rosolowski M, Ammerpohl O, Wagener R, Bernhart SH, Lenze D, Szczepanowski M, Paulsen M, Lipinski S, Russell RB, Adam-Klages S, Apic G, Claviez A, Hasenclever D, Hovestadt V, Hornig N, Korbel JO, Kube D, Langenberger D, Lawerenz C, Lisfeld J, Meyer K, Picelli S, Pischmarov J, Radlwimmer B, Rausch T, Rohde M, Schilhabel M, Scholtysik R, Spang R, Trautmann H, Zenz T, Borkhardt A, Drexler HG, Möller P, MacLeod RA, Pott C, Schreiber S, Trümper L, Loeffler M, Stadler PF, Lichter P, Eils R, Küppers R, Hummel M, Klapper W, Rosenstiel P, Rosenwald A, Brors B, Siebert R; ICGC MMML-Seq Project.  
Recurrent mutation of the ID3 gene in Burkitt lymphoma identified by integrated genome, exome and transcriptome sequencing.  
Nat Genet, 2012, 44(12):1316-20
- Ronchi CL, **Leich E (Co-first author)**, Sbiera S, Weismann D, Rosenwald A, Allolio B, Fassnacht M.  
Single nucleotide polymorphism microarray analysis in cortisol-secreting adrenocortical adenomas identifies new candidate genes and pathways.  
Neoplasia, 2012, 14(3):206-18
- **Leich E**, Zamo A, Horn H, Haralambieva E, Puppe B, Gascoyne RD, Chan WC, Braziel RM, Rimsza LM, Weisenburger DD, Delabie J, Jaffe ES, Fitzgibbon J, Staudt LM, Mueller-Hermelink HK, Calaminici M, Campo E, Ott G, Hernández L, Rosenwald A.  
MicroRNA profiles of t(14;18)-negative follicular lymphoma support a late germinal center B-cell phenotype.  
Blood, 2011, 118(20):5550-8
- **Leich E**, Salaverria I, Bea S, Zettl A, Wright G, Moreno V, Gascoyne RD, Chan WC, Braziel RM, Rimsza LM, Weisenburger DD, Delabie J, Jaffe ES, Lister A, Fitzgibbon J, Staudt LM, Hartmann EM, Mueller-Hermelink HK, Campo E, Ott G, Rosenwald A.

Follicular lymphomas with and without translocation t(14;18) differ in gene expression profiles and genetic alterations.

Blood, 2009, 114(4):826-34

- **Leich E**, Haralambieva E, Zettl A, Chott A, Rüdiger T, Höller S, Müller-Hermelink HK, Ott G, Rosenwald A.

Tissue microarray-based screening for chromosomal breakpoints affecting the T-cell receptor gene loci in mature T-cell lymphomas.

J Pathol, 2007, 213(1):99-105

### **Originalarbeiten als Co-Autor (2018-2006)**

- Mottok A, Jurinovic V, Farinha P, Rosenwald A, **Leich E**, Ott G, Horn H, Klapper W, Boesl M, Hiddemann W, Steidl C, Connors JM, Sehn LH, Gascoyne RD, Hoster E, Weigert O, Kridel R.

FOXP1 expression is a prognostic biomarker in follicular lymphoma treated with rituximab and chemotherapy.

Blood. 2018 Jan 11;131(2):226-235. doi: 10.1182/blood-2017-08-799080. Epub 2017 Nov 9.

- Rudelius M, Rosenfeldt MT, **Leich E**, Rauert-Wunderlich H, Solimando AG, Beilhack A, Ott G, Rosenwald A.

Inhibition of focal adhesion kinase overcomes resistance of mantle cell lymphoma to ibrutinib in the bone marrow microenvironment.

Haematologica. 2018 Jan;103(1):116-125. doi:10.3324/haematol.2017.177162. Epub 2017 Oct 27.

- Effenberger M, Bommert KS, Kunz V, Kruk J, **Leich E**, Rudelius M, Bargou R, Bommert K.

Glutaminase inhibition in multiple myeloma induces apoptosis via MYC degradation.

Oncotarget. 2017 Aug 24;8(49):85858-85867. doi: 10.18632/oncotarget.20691. eCollection 2017 Oct 17.

- Hezaveh K, Kloetgen A, Bernhart SH, Mahapatra KD, Lenze D, Richter J, Haake A, Bergmann AK, Brors B, Burkhardt B, Claviez A, Drexler HG, Eils R, Haas S, Hoffmann S, Karsch D, Klapper W, Kleinheinz K, Korbel J, Kretzmer H, Kreuz M, Küppers R, Lawrenz C, **Leich E**, Loeffler M, Mantovani-Loeffler L, López C, McHardy AC, Möller P, Rohde M, Rosenstiel P, Rosenwald A, Schilhabel M, Schlesner M, Scholz I, Stadler PF, Stilgenbauer S, Sungalee S, Szczepanowski M, Trümper L, Weniger MA, Siebert R, Borkhardt A, Hummel M, Hoell JI.

Alterations of miRNAs and miRNA-regulated mRNA expression in GC B cell lymphomas determined by integrative sequencing analysis.

Haematologica. 2016 Nov;101(11):1380-1389
- Sbiera S, **Leich E**, Liebisch G, Sbiera I, Schirbel A, Wiemer L, Matysik S, Eckhardt C, Gardill F, Gehl A, Kendl S, Weigand I, Bala M, Ronchi CL, Deutschbein T, Schmitz G, Rosenwald A, Allolio B, Fassnacht M, Kroiss M.

Mitotane Inhibits Sterol-O-Acyl Transferase 1 Triggering Lipid-Mediated Endoplasmic Reticulum Stress and Apoptosis in Adrenocortical Carcinoma Cells.

Endocrinology. 2015 Nov;156(11):3895-908. doi: 10.1210/en.2015-1367. Epub 2015 Aug 25. PubMed PMID: 26305886.
- Pastore A, Jurinovic V, Kridel R, Hoster E, Staiger AM, Szczepanowski M, Pott C, Kopp N, Murakami M, Horn H, **Leich E**, Moccia AA, Mottok A, Sunkavalli A, Van Hummelen P, Ducar M, Ennishi D, Shulha HP, Hother C, Connors JM, Sehn LH, Dreyling M, Neuberg D, Möller P, Feller AC, Hansmann ML, Stein H, Rosenwald A, Ott G, Klapper W, Unterhalt M, Hiddemann W, Gascoyne RD, Weinstock DM, Weigert O.

Integration of gene mutations in risk prognostication for patients receiving first-line immunochemotherapy for follicular lymphoma: a retrospective analysis of a prospective clinical trial and validation in a population-based registry.

Lancet Oncol. 2015 Sep;16(9):1111-22. doi: 10.1016/S1470-2045(15)00169-2. Epub 2015 Aug 6. PubMed PMID: 26256760.
- M. Adler, **E. Leich**, H. Ellinger-Ziegelbauer, P. Hewitt, W. Dekant, A. Rosenwald, A. Mally.

Application of RNA interference to improve mechanistic understanding of omics responses to a hepatotoxic drug in primary rat hepatocytes.

Toxicology, 2014, 326:86-95

- Brodtkorb M, Lingjærde OC, Huse K, Trøen G, Hystad M, Hilden VI, Myklebust JH, **Leich E**, Rosenwald A, Delabie J, Holte H, Smeland EB.  
Whole-genome integrative analysis reveals expression signatures predicting transformation in follicular lymphoma.  
Blood, 2014, 123(7):1051-4
- Ronchi CL, Sbiera S, **Leich E**, Henzel K, Rosenwald A, Allolio B, Fassnacht M.  
Single nucleotide polymorphism array profiling of adrenocortical tumors--evidence for an adenoma carcinoma sequence?  
PLoS One, 2013, 8(9):e73959
- Schlereth K, Heyl C, Krampitz AM, Mernberger M, Finkernagel F, Scharfe M, Jarek M, **Leich E**, Rosenwald A, Stiewe T.  
Characterization of the p53 cistrome--DNA binding cooperativity dissects p53's tumor suppressor functions.  
PLoS Genet, 2013, 9(8):e1003726
- Tur MK, Etschmann B, Benz A, **Leich E**, Waller C, Schuh K, Rosenwald A, Ertl G, Kienitz A, Haaf AT, Bräuninger A, Gattenlöhner S.  
The 140-kD isoform of CD56 (NCAM1) directs the molecular pathogenesis of ischemic cardiomyopathy.  
Am J Pathol, 2013, 182(4):1205-18
- Benkert TF, Dietz L, Hartmann EM, **Leich E**, Rosenwald A, Serfling E, Buttmann M, Berberich-Siebelt F.  
Natalizumab exerts direct signaling capacity and supports a pro-inflammatory phenotype in some patients with multiple sclerosis.  
PLoS One, 2012, 7(12):e52208
- Ronchi CL, Sbiera S, **Leich E**, Tissier F, Steinhauer S, Deutschbein T, Fassnacht M, Allolio B.

Low SGK1 expression in human adrenocortical tumors is associated with ACTH-independent glucocorticoid secretion and poor prognosis.

J Clin Endocrinol Metab. 2012, 97(12):E2251-60

- Bommert KS, Effenberger M, **Leich E**, Küspert M, Murphy D, Langer C, Moll R, Janz S, Mottok A, Weissbach S, Rosenwald A, Bargou R, Bommert K.  
The feed-forward loop between YB-1 and MYC is essential for multiple myeloma cell survival.  
Leukemia, 2013, 27(2):441-50
- Horn H, Schmelter C, **Leich E**, Salaverria I, Katzenberger T, Ott MM, Kalla J, Romero M, Siebert R, Rosenwald A, Ott G.  
Follicular lymphoma grade 3B is a distinct neoplasm according to cytogenetic and immunohistochemical profiles.  
Haematologica, 2011, 96(9):1327-34
- Bhattacharyya S, Deb J, Patra AK, Thuy Pham DA, Chen W, Vaeth M, Berberich-Siebelt F, Klein-Hessling S, Lamperti ED, Reifenberg K, Jellusova J, Schweizer A, Nitschke L, **Leich E**, Rosenwald A, Brunner C, Engelmann S, Bommhardt U, Avots A, Müller MR, Kondo E, Serfling E.  
NFATc1 affects mouse splenic B cell function by controlling the calcineurin--NFAT signaling network.  
J Exp Med, 2011, 208(4):823-39
- Schlereth K, Beinoraviciute-Kellner R, Zeitlinger MK, Bretz AC, Sauer M, Charles JP, Vogiatzi F, **Leich E**, Samans B, Eilers M, Kisker C, Rosenwald A, Stiewe T.  
DNA binding cooperativity of p53 modulates the decision between cell-cycle arrest and apoptosis.  
Mol Cell, 2010, 38(3):356-68
- Nagel S, **Leich E**, Quentmeier H, Meyer C, Kaufmann M, Zaborski M, Rosenwald A, Drexler HG, Macleod RA.  
Amplification at 11q23 targets protein kinase SIK2 in diffuse large B-cell lymphoma.  
Leuk Lymphoma, 2010, 51(5):881-91

- Stöcklein H, Hutter G, Kalla J, Hartmann E, Zimmermann Y, Katzenberger T, Adam P, **Leich E**, Höller S, Müller-Hermelink HK, Rosenwald A, Ott G, Dreyling M.  
Genomic deletion and promoter methylation status of Hypermethylated in Cancer 1 (HIC1) in mantle cell lymphoma.  
J Hematop, 2008, 1(2):85-95
- Gattenlöhner S, Stühmer T, **Leich E**, Reinhard M, Etschmann B, Völker HU, Rosenwald A, Serfling E, Bargou RC, Ertl G, Einsele H, Müller-Hermelink HK.  
Specific detection of CD56 (NCAM) isoforms for the identification of aggressive malignant neoplasms with progressive development.  
Am J Pathol, 2009, 174(4):1160-71
- Katzenberger T, Kalla J, **Leich E**, Stöcklein H, Hartmann E, Barnickel S, Wessendorf S, Ott MM, Müller-Hermelink HK, Rosenwald A, Ott G.  
A distinctive subtype of t(14;18)-negative nodal follicular non-Hodgkin lymphoma characterized by a predominantly diffuse growth pattern and deletions in the chromosomal region 1p36.  
Blood, 2009, 113(5):1053-61
- Brown PJ, Ashe SL, **Leich E**, Burek C, Barrans S, Fenton JA, Jack AS, Pulford K, Rosenwald A, Banham AH.  
Potentially oncogenic B-cell activation-induced smaller isoforms of FOXP1 are highly expressed in the activated B cell-like subtype of DLBCL.  
Blood, 2008, 111(5):2816-24
- Nagel S, **Leich E**, Quentmeier H, Meyer C, Kaufmann M, Drexler HG, Zettl A, Rosenwald A, MacLeod RA.  
Amplification at 7q22 targets cyclin-dependent kinase 6 in T-cell lymphoma.  
Leukemia, 2008, 22(2):387-92
- Adam P, Steinlein C, Schmid M, Haralambieva E, Stocklein H, **Leich E**, Rosenwald A, Müller-Hermelink HK, Ott G.

Characterization of chromosomal aberrations in diffuse large B-cell lymphoma (DLBL) by G-banding and spectral karyotyping (SKY).  
Cytogenet Genome Res, 2006, 114(3-4):274-8

## Reviews

- **Leich E**, Ott G, Rosenwald A.  
Pathology, pathogenesis and molecular genetics of follicular NHL.  
Best Pract Res Clin Haematol, 2011, 24(2):95-109
- **Leich E**, Hartmann EM, Burek C, Ott G, Rosenwald A.  
Diagnostic and prognostic significance of gene expression profiling in lymphomas.  
APMIS. 2007 Oct;115(10):1135-46

## Buchbeiträge

- Ott G, **Leich E**, Rosenwald A, Nadel B  
Chapter: Follicular Lymphoma (04110) in: PATHOBIOLOGY OF HUMAN DISEASE: A DYNAMIC ENCYCLOPEDIA OF DISEASE MECHANISMS - CONTRIBUTORS' INSTRUCTIONS. 2014, 1<sup>st</sup> edition (eBOOK), Elsevier  
Editors: Linda McManus, Richard Mitchell  
ISBN:9780123864574
- **Leich E**, Hartmann E, Ott G, Rosenwald A.  
Chapter: Gene Expression Profiling in lymphoma in: Lymphoma in International Hematology Updates "Lymphoma in the XXI Century". 2010. Permanyer Publications  
Editors: Armando Lopez-Guillermo, Gilles Salles

## Commentary/Letter

- **Leich E**, Steinbrunn T.  
RAS mutations - for better or for worse in multiple myeloma?  
Leuk Lymphoma. 2016, 57(1):8-9. doi: 10.3109/10428194.2015.1065984. Epub 2015 Oct 2
- Zamò A, Pischmarov J, Horn H, Ott G, Rosenwald A, **Leich E**  
The exomic landscape of t(14;18)-negative diffuse follicular lymphoma with 1p36 deletion  
Br J Haematol. 2018 Feb;180(3):391-394. doi: 10.1111/bjh.15041. Epub 2017 Nov 28.



